



SEG/Slim Single-sided S20


- Easy assembly for both frame and graphic
- Wall mount hanger included
- Small package for carrying
- Nice matt silver finishing
- Graphic material: fabric or UV soft film

Application



Wall mount hanger


Assembly



180° connector



90° mitred corner




Profile Cross Section 1" (25mm)

Size: 14"x22"; 18"x24"; 22"x28"; 24"x36"; 36"x48"

33.6x55.9cm ; 45.7x61cm ; 55.9x71.1cm ; 61x91.4cm ; 91.4x121.9cm
(Size can be customized)

SEG FRAMELESS EXTRUSION SYSTEM



Profile Cross Section 1 1/10" (28mm)

SEG/Single-sided S30

- Thicker profile for large format frame
- Easy assembly for both frame and graphic
- Wall mount hanger included
- Small package for carrying
- Nice matt silver finishing
- Graphic material: fabric or UV soft film

Application



Wall mount hanger

Assembly



180° connector




90° mitred corner



T connection:
supporting profile B20

Size: 18"x24"; 22"x28"; 24"x36"; 36"x48"; 48"x72"; 72"x96"

45.7x61cm; 55.9x71.1cm; 61x91.4cm; 91.4x121.9cm; 121.9x182.9cm; 182.9x243.8cm
(Size can be customized)



Profile Cross Section 1- 3/10" (33mm)

SEG / Single-sided LED Light Box S33


- Curtain LED backlit system or Edge lit with LGP
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500°K
- Nice matt silver finishing
- Wall mount hanger included
- Graphic material: fabric or UV soft film

Application




Wall Mount

Lighting



Curtain LED backlit system



Backlit with LGP

Assembly




90° Mitred Corner

S33: 22"x28", 28"x36", 36"x48" (Size can be customized)

S40



S40: 18"x24"; 22"x28"; 24"x36"; 36"x48"; 48"x72"; 72"x96"
(Size can be customized)



Profile Cross Section 1- 4/7" (42mm)

SEG / Single-sided LED Light Box S40

- Curtain or Panel LED Backlit system, good lighting effect
- Lights: Each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature is 6500°K.
- Nice Matt silver finishing
- Graphic Material: Fabric or UV Soft film
- Size can be customized

Application




Wall Mount





Free-Standing
(Against the wall)


Lighting




Curtain LED backlit system



Assembly



Easy Assembly



180° Connector



90° Mitred Corner



T connection:
Supporting profile B2


D40

DisplayPro



SEG / Double-sided D40

- Easy assembly for both frame and graphic
- Can be both single-sided and double-sided
- Small package for carrying
- Nice Matt silver finishing
- Base are included if free-standing style



Profile Cross Section 1-13/20" (42mm)

Application




Wall mount hanger



Hanging eye-hook



Free-standing



Assembly



180° connector



90° mitred corner



T connection:
supporting profile B20

Size: 18"x24"; 22"x28"; 24"x36"; 36"x48"; 48"x72"; 72"x96"


45.7x61cm; 55.9x71.1cm; 61x91.4cm; 91.4x121.9cm; 121.9cm*182.9cm; 182.9x243.8cm
(Size can be customized)

D60



SEG / Double-sided LED Light Box D60

- Optional lighting: curtain LED backlit system or edge lit LED lights
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500K
- Nice matt silver finishing
- Graphic material: fabric or UV soft film
- Bases are included if free-standing style



Profile Cross Section 2-9/25" (60mm)


Application



Hanging eye-hook



Free-standing



Curtain LED backlit system

Lighting

Assembly



180° connector



90° mitred corner



T connection:
supporting profile B20



Supporting profile B2


Size: 22"x28"; 24"x36"; 36"x48"; 48"x72"; 72"x96";
55.9x71.1cm; 61x91.4cm; 91.4x121.9cm; 121.9cm*182.9cm; 182.9x243.8cm
(Size can be customized)

D80



SEG/Wide Double-sided LED Light Box D80

- Optional Lighting: Edge lit or Curtain Backlit LED lights
- Nice Matt Silver anodized finishing
- Lights: Each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature is 6500°K
- Graphic Material: Fabric or UV Soft film
- Size can be customized




Profile Cross Section 3-3/20" (80mm)


Application



Hanging eye-hook




Free-standing




Curtain LED backlit system


Lighting




Assembly



Easy Assembly



180° Connector




90° Mitred Corner


D80: 22"x28"; 24"x36"; 36"x48"; 48"x72"; 72"x96"; 96"x120"
(Size can be customized)

PRE-INSTALLED SEG LED LIGHT BOX D80


- Edge lit LED Strips pre-installed for quick assembly
- Free-standing or hanging




Instant Wire Connection



Foldable Base
Free - Standing




Pre-installed
LED Strip



Pre-installed
LED Strip - Lighting



SEG Hard Case - Case7
(Portable for travel by air)



Portable Light Rack



Light Rack



Light Shelf



Light Cabinet

D80 CUSTOM SIZES AND APPLICATIONS



Light Reception Counter



Light TV Stand



Light Window Display



Light Slatwall Stand



S100



Profile Cross Section 3-15/16" (100mm)

SEG / Wide Single-sided LED Light Box S100


- Optional lighting: curtain LED backlit system or edge lit LED lights
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500°K
- Nice matt silver finishing
- Wall mount hanger included
- Graphic material: fabric or UV soft film
- Bases are included if free-standing style




Application




Wall mount hanger



Free-standing
(against the wall)




Curtain LED backlit system



Assembly



180° connector



90° mitred corner



T connection:
supporting profile B20

Size: 36"x48" ; 48"x72" ; 48"x96" ; 72"x96" ; 96"x120" ; 120" x120"
91.4x121.9cm ; 121.9x182.9cm ; 121.9x243.8cm ; 182.9x243.8cm ; 243.8x304.8cm ; 304.8x304.8cm
(Size can be customized)



D120

DisplayPro



SEG/Single-sided Heavy Duty LED Light Box D120

- Extremely heavy-duty 12mm profile
- Optional lighting: curtain LED backlit system or edge lit LED lights
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500°K
- Nice matt silver finishing
- Graphic material: fabric or UV soft film
- Bases are included if free-standing style




Profile Cross Section 4-8/11" (120mm)


Application




Side brochure holder




Free-standing




Edge lit LED lights



Assembly



180° Connector



90° Mitred Corner



T connection:
Supporting profile B20


Size: 36"x48" ; 48"x72" ; 48"x96" ; 72"x96" ; 96"x120" ; 120" x120"
91.4x121.9cm ; 121.9x182.9cm ; 121.9x243.8cm ; 182.9x243.8cm ; 243.8x304.8cm ; 304.8x304.8cm

D120X




SEG/ Double-sided LED Light Box D120X

- More stable with 12mm profile
- Optional lighting: curtain LED backlit system or edge lit LED lights
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500°K
- Nice matt silver finishing
- Graphic material: fabric or UV soft film
- Bases are included if free-standing style




Profile Cross Section 4-8/11" (120mm)

Application





Free-standing
(against the wall)

Lighting



Edge lit LED Lights




Single sided

Assembly



180° connector



90° mitred corner



T connection:
supporting profile B20


Size: 36"x48" ; 48"x72" ; 48"x96" ; 72"x96" ; 96"x120" ; 120" x120"
91.4x121.9cm; 121.9x182.9cm; 121.9x243.8cm; 182.9x243.8cm; 243.8x304.8cm; 304.8x304.8cm
(Size can be customized)

D120X2


DisplayPro



Profile Cross Section 4-8/11" (120mm)



Application




Free-standing



Free-standing (curved)

Lighting



Curtain LED backlit system



Curtain LED backlit system

Assembly



180° connector



90° mitred corner



T connection:
supporting profile B20

Double-sided LED Light box D120X2 (Mitred or Curved)

- More stable with 12mm profile
- Optional lighting: curtain LED backlit system or edge lit LED lights
- Lights: each light strip has 5-7 LEDs, stripe length: 40 or 55cm, temperature: 6500°K
- Nice matt silver finishing
- Graphic material: fabric or UV soft film
- Bases are included if free-standing style

Size: 36"x48" ; 48"x72" ; 48"x96" ; 72"x96" ; 96"x120" ; 120" x120"
91.4x121.9cm; 121.9x182.9cm; 121.9x243.8cm; 182.9x243.8cm; 243.8x304.8cm; 304.8x304.8cm
(Size can be customized)

GREAT SQUIRE TOWER & COUNTER




Profile Cross Section 2-9/25" (60mm)

(Both sizes can be customized)





SEG Square Great Tower (TE-19GT) & Counter (TE-19GC)


- Easy assembly
- Backlit lighting system: turn your tower or counter into a light box
- Various sizes in counter & tower
- 4-sided individual fabric graphic make your brand stand out



Horizontal Profile



Vertical Profile



Lighting




Hanging fluorescent backlit system



Curtain LED backlit system


Assembly



T Corner



Corner connection



Bottom corner



Top corner

Tower Size(WxDxH): 2'x2'x8'; 3'x3'x8'; 4'x4'x8';

61x61x244cm; 91.4x91.4x244cm; 122x122x244cm

Counter Size (WxDxH): 24"x24"x40"; 48"x24"x40"; 72"x24"x40"

61x61x101.6cm; 122x61x101.6cm; 184x61x101.6cm

D120T




3X3M/10X10FT




3X6M/10X20FT



Extension Wall



Upgraded Corner Joint




Hanging banner



D180

DisplayPro


Profile Cross Section: 7 1/10" (180mm)



SEG / Double-sided Heavy Duty LED Light Wall D180


- Newly designed super wide extrusion, extremely durable with 18mm profile
- Optional lighting: curtain LED backlit system or edge lit LED lights
- Nice matt silver finishing
- Bases are included

Application



Free-standing

Lighting



Edge lit LED lights

LCD



Assembly



Easy Assembly



180° Connector



90° Mitred Corner



T connection:
Supporting profile B2

D180: 36"x48" ; 48"x72" ; 48"x96" ; 72"x96" ; 96"x120" ; 120" x120"
(Size can be customized)

GREAT CUBE 6-SIDED





(Size can be customized)


SEG

Great Cube 6-sided

- Easy assembly
- Backlit LED curtain or corn lighting system
- Free-standing or hanging
- 6-sided individual fabric graphic make your brand stand out



Horizontal Profile



Vertical Profile

Lighting



Hanging fluorescent backlit system




Curtain Backlit LED lights

Assembly



T Corner



Corner Connection



Bottom Corner



Top corner

GREAT TRIANGLE TOWER





Tower Size (WxD xH): 2'x2'x6' , 3'x3'x8'
61x61x182.9cm, 91.4x91.4x243.8cm
(Size can be customized)



SEG GREAT TRIANGLE TOWER TE-19GT3

- Easy assembly
- Backlit LED corn lighting system
- 3-sided individual fabric graphic make your brand stand out

Horizontal Profile



Vertical Profile

Lighting



Hanging fluorescent
backlit system

Assembly



T Corner



Corner Connection













Bottom Corner




















Top Corner

ACCESSORIES

Accessories	Item NO.	Description	Picture	Accessories	Item NO.	Description	Picture
Lock 45°	DPA-0012	Male part , make a mitred corner for D40,S30		Lock 90°	DPA-1479	90° connector for S40, D60,D80,S100	
Lock 45°	DPA-0015	Female part , make a mitred corner for D40,S30		Lock 180°	DPA-0019	180° connector for S20	
Lock 90°	DPA-0018	90° connector for S20		Lock 180°	A-0054	180° connector for B20,D40,S30	
Lock 90°	DPA-0021	90° connector for B19		Lock 180°	DPA-1480	180° connector for S40, D60,D80,S100	
Lock 90°	DPA-0073	90° connector for D120X/D120X2/D120		Lock 180°	DPA-0022	180° connector for D120X/D120X2/D120	

ACCESSORIES CONT

Accessories	Item NO.	Description	Picture	Accessories	Item NO.	Description	Picture
Slatwall System	DPE-0045	Slot for PVC slatwall		EZY Case	DPCASE 4	Inner Size: 51"Lx19"Wx13"~20"H (L130*W47.5*H32.5-50cm) Outer Size: 53.5"Lx20"Wx16.5"H (L136*W51*H42cm)	
Slatwall System	DPE-0176	Aluminum slatwall		Tent Case	DPCASE 5-S	With handle and wheels Case outer size: 53"Lx17"Wx11"HCase (134 L*43W* 26.8 H cm)	
Tool	DPGA Series	Different sizes for different profiles		Tent Case	DPCASE 5-L	With handle and wheels Case Outer Size: 64.6"Lx17"Wx10.5"H (164 L*43 W* 26.8 H cm)	
				SEG Hard Case	DP CASE 7	Case Outer Size: 112.9*25.9*16cm (44.4"*10.2"*6.3""") Inner Size:112.5*25.5*15cm (44.3"*10"*5.91") Optional Wheels	

Accessories	Item NO.	Description	Picture	Accessories	Item NO.	Description	Picture
Lock 180°	DPA-1483	180° connector for F50		Hanging Part	DPE-0194	Wall mount hanger for S40,S100	
Base C	DPA-0026	Base for D40, D60, D80 1.6kgs		Hanging system	DPA-1478	Steel bolt with string for curtain LED backlit system	
Base C4	DPA-0093	Base for D120X, D120X2 2.7kgs		Edge lit LED Lights	DPD-0021/22/23	Edge lit LED light stripes, 60cm	
Base S	DPA-1485	Base for F50 3.6kgs		Backlit LED lights	DPD-0069/70/72	30cm, 40cm, 55cm	
Hanging Part	DPA-1316	Hanging ring for D40, D60, D80		Slatwall System	DPE-0100	PVC slatwall	



S20 S30 S33 S40 S100

WALL MOUNT

D40 D60 D80 D120X D120X2 D120

FREE STANDING



FRAMELESS EXTRUSION SYSTEM



D40 D60 D80 D120X2

CEILING HANGING

GREAT TOWER/CUBE




FRAMELESS EXTRUSION SYSTEM

SEG TEXT FRAME ILLUMINATED BOOTH SOLUTION

3X6 80SEG BOOTH

SEG TEXT FRAME ILLUMINATED BOX BOOTH SOLUTION



3X6 100SEG BOOTH

SEG TEXT FRAME ILLUMINATED BOX BOOTH SOLUTION



3X6 80SEG BOOTH